

Elenco delle Pubblicazioni Scientifiche su progetti CoNISMa

2008 -2019

Anno 2008

- Abaunza P., A.G. Murta, N. Campbell, R. Cimmaruta, A.S. Comesaña, G. Dahle, E. Gallo, M.T. García santamaría, L.S. Gordo, S.A. Iversen, K. Mackenzie, A. Magoulas, S. Mattiucci, J. Molloy, G. Nascetti, A.L. Pinto, R. Quinta, P. Ramos, A. Ruggi, A. Sanjuan, A.T. Santos, C. Stransky and C. Zimmermann (2008). Considerations on sampling strategies for an holistic approach to stock identification: The example of the HOMSIR project. FISHERIES RESEARCH, 89: 104-113.
- Abaunza P., A.G. Murta, N. Campbell, R. Cimmaruta, A.S. Comesaña, G. Dahle, M.T. García Santamaría, L.S. Gordo, S.A. Iversen, K. Mackenzie, A. Magoulas, S. Mattiucci, J. Molloy, G. Nascetti, A.L. Pinto, R. Quinta, P. Ramos, A. Sanjuan, A.T. Santos, C. Stransky and C. Zimmermann (2008). Stock identity of horse mackerel (*Trachurus trachurus*) in the Northeast Atlantic and Mediterranean Sea: Integrating the results from different stock identification approaches. FISHERIES RESEARCH, 89: 196-209.
- Alfonso G., Belmonte G. (2008). Expanding distribution of *Boeckella triarticulata* (Thomson, 1883) (Copepoda: Calanoida: Centropagidae) in Southern Italy. Aquatic Invasions, 3: 247-251.
- Baldi P., Bosman A., Chiocci F.L., Marsella M., Romagnoli C., Sonnessa A. (2008). Integrated subaerial-submarine morphological evolution of the Sciara del Fuoco after the 2002 landslide. In: Editor Calvari; Sonia; Inguaggiato; Salvatore; Puglisi; Giuseppe; Ripepe; Maurizio; Rosi; Mauro. Geophysical Monograph. vol. 182, p. 171-182, WASHINGTON: American Geophysical Union.
- Balestra B., Marino M., Monechi S., Marano C. & Loiacono F. (2008). Coccolithophore communities in the Gulf of Manfredonia (Southern Adriatic Sea): data from water and surface sediments. MICROPALAEONTOLOGY, vol. 54, no. 5, pp. 377-396, text-figures 1-6, plates 1-4, tables 1-2, appendix 1.
- Basso D., Bernasconi M.P., Robba E. & Marozzo S. (2008). Environmental evolution of the Marsala sound, Sicily, during the last 6000 years. Jour. Coastal Research, 24(1): 177-197. West Palm Beach (ISI JCR 2007; IF: 0.383).
- Benedetti-Cecchi, L., Bertocci, I., Vaselli, S., Maggi, E., Bulleri F. (2008). Neutrality and the response of rare species to environmental variance. PLoS ONE 3(7): e2777. doi:10.1371/journal.pone.0002777.

- Berning B., Tilbrook K.J., Rosso A. (2008). Revision of the north-eastern Atlantic and Mediterranean species of the genera *Herentia* and *Therenia* (Bryozoa: Cheilostomata). *Journal of Natural History*, 42 (21-22): 1509-1547. doi:10.1080/00222930802109140.
- Bianchelli S., C. Gambi, A. Pusceddu and R. Danovaro. (2008). Trophic conditions and meiofaunal assemblages in the Bari Canyon and the adjacent open slope (Adriatic Sea). *Chemistry and Ecology* Vol. 24, No. S1, June 2008, 101–109. DOI: 10.1080/02757540801963386.
- Boero F. 2008. Italy: restoring axed funds is not enough to cure all ills. *Nature* 456: 166.
- Boero, F., Bouillon J., Gravili C., Miglietta M.P., Parsons T., Piraino S. (2008). Gelatinous plankton: irregularities rule the world (sometimes). *Marine Ecology Progress Series* 356 : 299-310.
- Budillon G., Gasparini G.P., Schroeder K. 2008 – Persistence of an Eddy Signature in the Central Tyrrhenian Basin. *Deep Sea Research II*, 56: 713-724. doi:10.1016/j.dsr2.2008.07.027.
- Chiocci F.L., Romagnoli C., Bosman A. (2008). Morphologic resilience and depositional processes due to the rapid evolution of the submerged Sciara del Fuoco (Stromboli Island) after the December 2002 submarine slide and tsunami. *GEOMORPHOLOGY*, vol. 100; p. 356-365, ISSN: 0169-555X.
- Chiocci F.L., Romagnoli C., Tommasi P., Bosman A. (2008). The Stromboli 2002 tsunamigenic submarine slide: Characteristics and possible failure mechanisms. *JOURNAL OF GEOPHYSICAL RESEARCH*, vol. 113 B10, ISSN: 0148-0227, doi: 10.1029/2007JB005172.
- Cibir, G., Marcelli, A., Maggi, V., Sala, M., Marino, F., Delmonte, B., Albani, S. and Pignotti, S. (2008). First combined total reflection X-ray fluorescence and grazing incidence X-ray absorption spectroscopy characterization of aeolian dust archived in Antarctica and Alpine deep ice cores. *Spectrochimica Acta Part B-Atomic Spectroscopy* 63 (12), 1503-1510.
- Cimmaruta R., Bondanelli P., Ruggi A. & Nascetti G. (2008). Genetic structure and temporal stability in the horse mackerel (*Trachurus trachurus*). *FISHERIES RESEARCH*, 89: 114-121.
- Danovaro R., A. Dell’Anno, C. Corinaldesi, M. Magagnini, R. Noble, C. Tamburini. & M. Weinbauer. (2008). Major viral impact on the functioning of benthic deep-sea ecosystems. *NATURE* Vol 454 | 28 August 2008. doi:10.1038/nature07268.
- Danovaro R., C. Corinaldesi, M. Filippini, U.R. Fischer, M. O. Gessner, S. Jacquet, M. Magagnini and B. Velimirov. (2008). Viriobenthos in freshwater and marine sediments: a review. *Freshwater Biology* (2008) 53, 1186–1213 doi:10.1111/j.1365-2427.2008.01961.
- Danovaro R., C. Gambi, N. Lampadariou and A. Tselepidis. (2008). Deep-sea nematode biodiversity in the Mediterranean basin: testing for longitudinal, bathymetric and energetic gradients *Ecography* 31: 231_244, 2008. doi: 10.1111/j.2007.0906-7590.05484.x.

- Danovaro R., C.Gambi, A.Dell'Anno, C. Corinaldesi, S. Fraschetti, A. Vanreusel, M. Vincx, and A.J. Gooday. (2008). Exponential Decline of Deep-Sea Ecosystem Functioning Linked to Benthic Biodiversity Loss. *Current Biology* 18, 1–8, January 8, 2008. DOI 10.1016/j.cub.2007.11.056.
- Danovaro R., L.Bongiorni, C. Corinaldesi, D. Giovannelli, E. Damiani, P. Astolfi, L. Greci, and A. Pusceddu. (2008). Sunscreens Cause Coral Bleaching by Promoting Viral Infections. *Environmental Health Perspectives*. *Environ Health Perspect* 116:441–447. doi:10.1289/ehp.10966.
- De Lange GJ.; Thomson J.; Reitz, A.; Slomp, C.P. ; Principato, M.S.; Erba, E.; Corselli, C. – (2008). Synchronous basin-wide formation and redox-controlled preservation of a Mediterranean sapropel Source: *NATURE GEOSCIENCE*, 1 (9): 606-610 SEP 2008.
- De Vito D; Di Camillo Cg; Boero F; Piraino S. (2008). Redescription of the zooxanthellate hydroid *Eudendrium moulouyensis* (Eudendriidae, Hydrozoa) from the Mediterranean Sea. *JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM*, vol. 88, ISSN: 0025-3154.
- Dell'Anno A., F. Raffaelli, R. Danovaro, L. Nanetti, A. Vignini, C.Moroni, L. Mozzanti. (2008). Cytotoxic Effects Induced by Hexachlorobenzene in *Squilla mantis* (L.) (Crustacea, Stomatopoda). Wiley Periodicals, Inc. *Environ Toxicol* 23: 9–14, 2008. doi 10.1002/tox.20302.
- Delmonte, B., Andersson, P.S., Hansson, M., Schoberg, H., Petit, J.R., Basile-Doelsch, I. and Maggi, V. (2008). Aeolian dust in East Antarctica (EPICA-Dome C and Vostok): Provenance during glacial ages over the last 800 kyr. *Geophysical Research Letters* 35 (7).
- Delmonte, B., Delmas, R.J. and Petit, J.R. (2008). Comment on “Dust provenance in Antarctic ice during glacial periods: From where in southern South America?” by D. M. Gaiero *Geophysical Research Letters* 35 (8).
- Donda F., Gordini E., Rebesco M., Pascucci V., Mosetti R., Lazzari P. & Fontolan G. (2008). Shallow water sea-floor morphologies around Asinara Island (NW Sardinia Italy). *Continental Shelf Research*. 28, 2550-2564 (ISI).
- Fraschetti S., Terlizzi A., Boero F. (2008). How many habitat are there in the sea (and where)? *Journal of Experimental Marine Biology and Ecology*. 10.1016/j.jembe.2008.07.015. John Gray JEMBE Special Issue 366: 109–115.
- Garaventa, F., Centanni, E., Fiorini, S., Noventa, S., Terlizzi, A., Faimali, M., Pavoni, B. (2008). New implications in the use of imposex as a suitable tool for Tributyltin contamination: experimental induction in *Hexaplex trunculus* (Gastropoda, Muricidae) with different stressors. *Cell Biology and Toxicology* 24: 563-571. DOI 10.1007/s10565-008-9065-y.
- Garcia A., Santos M.N., Damiano S., Nascetti G. & Mattiucci S. (2008). The metazoan parasites of swordfish from Atlantic tropical – equatorial waters. *JOURNAL OF FISH BIOLOGY*, 73: 1-14.

- Gibling M.R., Culshaw N., Rygel M.C. & Pascucci V. (2008). The Maritimes Basin of Atlantic Canada: basin creation and destruction in collisional zone of Pangea. In: The Phanerozoic sedimentary basins of the United States and Canada, Ed. A.D. Miall). Sedimentary Basins of the world.

Anno 2009

- Budillon G., Lo Bue N., Siena G., Spezie G. 2009 (accettato nel 2008) – Hydrographic characteristics of water masses and circulation in the Northern Ionian Sea. Deep Sea Research I, doi:10.1016/j.dsr2.2009.08.017.

2015

- Bellomo, L., Griffo, A., Cosoli, S., Falco, P., Gerin, R., Iermano, I., Kalampokis, A., Kokkini, Z., Lana, A., Magaldi, M. G., Mamoutos, I., Mantovani, C., Marmain, J., Potiris, E., Sayol, J. M., Barbin, Y., Berta, M., Borghini, M., Bussani, A., Corgnati, L., ... & Zervakis, V. (2015). Toward an integrated HF radar network in the Mediterranean Sea to improve search and rescue and oil spill response: The TOSCA project experience. *Journal of Operational Oceanography*, 8(2), 143–155. <https://doi.org/10.1080/1755876X.2015.1087184>
- Cianelli, D., Falco, P., Iermano, I., Mozzillo, P., Uttieri, M., Buonocore, B., Zambardino, G., & Zambianchi, E. (2015). Inshore/offshore water exchange in the Gulf of Naples. *Journal of Marine Systems*, 145, 37–52. <https://doi.org/10.1016/j.jmarsys.2015.01.002>

2016

- Boero, F., Valzano, V., & Bartolomei, C. (2016). Editorial. A supplement of SCIRES-IT on the CoCoNet European project. *SCIRES-IT*, 6(Suppl.), I–II. <https://doi.org/10.2423/122394303v6Spl>
- Boero, F., Foglini, F., Frascchetti, S., Goriup, P., Macpherson, E., Planes, S., Soukissian, T., & The CoCoNet Consortium. (2016). CoCoNet: Towards coast to coast networks of marine protected areas (from the shore to the high and deep sea), coupled with sea-based wind energy potential. *SCIRES-IT*, 6(Suppl.), 1–95. <https://doi.org/10.2423/i22394303v6Spl>
- Bosch-Belmar, M., Giomi, F., Rinaldi, A., Mandich, A., Fuentes, V., Mirto, S., Sarà, G., & Piraino, S. (2016). Concurrent environmental stressors and jellyfish stings impair caged European sea bass (*Dicentrarchus labrax*) physiological performances. *Scientific Reports*, 6, Article 27929. <https://doi.org/10.1038/srep27929>
- Bosch-Belmar, M., M'Rabet, C., Dhaouadi, R., Chalghaf, M., Daly Yahia, M. N., Fuentes, V., Piraino, S., & Kéfi-Daly Yahia, O. (2016). Jellyfish stings trigger gill disorders and increased mortality in farmed *Sparus aurata* (Linnaeus, 1758) in the Mediterranean Sea. *PLoS ONE*, 11(4), Article e0154239. <https://doi.org/10.1371/journal.pone.0154239>
- Di Franco, A., Thiriet, P., Di Carlo, G., Dimitriadis, C., Francour, P., Gutiérrez, N. L., de Grissac, A., Koutsoubas, D., Milazzo, M., Otero, M. M., Pianta, C., Plass-Johnson, J., Sainz-Trapaga, S., Santarossa, L., Tudela, S., & Guidetti, P. (2016). Five key attributes can increase marine protected

areas performance for small-scale fisheries management. *Scientific Reports*, 6, Article 38135. <https://doi.org/10.1038/srep38135>

- D'Onghia, G., Calculli, C., Capezzuto, F., Carlucci, R., Carluccio, A., Maiorano, P., Pollice, A., Ricci, P., Sion, L., & Tursi, A. (2016). New records of cold-water coral sites and fish fauna characterization of a potential network existing in the Mediterranean Sea. *Marine Ecology*, 37(1), 1–25. <https://doi.org/10.1111/maec.12356>
- Droghei, R., Falcini, F., Casalbore, D., Martorelli, E., Mosetti, R., Sannino, G., Santoleri, R., & Chiocci, F. L. (2016). The role of Internal Solitary Waves on deep-water sedimentary processes: The case of up-slope migrating sediment waves off the Messina Strait. *Scientific Reports*, 6, Article 363376. <https://doi.org/10.1038/srep363376>
- Falco, P., Buonocore, B., Cianelli, D., De Luca, L., Giordano, A., Iermano, I., Kalampokis, A., Saviano, S., Uttieri, M., Zambardino, G., & Zambianchi, E. (2016). Dynamics and sea state in the Gulf of Naples: Potential use of high-frequency radar data in an operational oceanographic context. *Journal of Operational Oceanography*, 9(Suppl. 1), s33–s45. <https://doi.org/10.1080/1755876X.2015.1115633>
- Fiori, E., Zavatarelli, M., Pinardi, N., Mazziotti, C., & Ferrari, C. R. (2016). Observed and simulated trophic index (TRIX) values for the Adriatic Sea basin. *Natural Hazards and Earth System Sciences*, 16, 2043–2054. <https://doi.org/10.5104/nhess-16-2043-2016>
- Kalampokis, A., Uttieri, M., Poulain, P.-M., & Zambianchi, E. (2016). Validation of HF radar-derived currents in the Gulf of Naples with Lagrangian data. *IEEE Geoscience and Remote Sensing Letters*, 13(10), 1452–1456. <https://doi.org/10.1109/LGRS-2016.2591258>
- Nihongi, A., Ziarek, J. J., Uttieri, M., Sandulli, R., Zambianchi, E., & Strickler, J. R. (2016). Behavioural interseasonal adaptations in *Daphnia pulex* (Crustacea: Cladocera) as induced by predation infochemicals. *Aquatic Ecology*, 50, 667–684. <https://doi.org/10.1007/s10452-016-9585-0>
- Stabili, L., Frascchetti, S., Acquaviva, M. I., Cavallo, R. A., De Pascali, S. A., Fanizzi, F. P., Gerardi, C., Narracci, M., & Rizzo, L. (2016). The Potential Exploitation of the Mediterranean Invasive Alga *Caulerpa cylindracea*: Can the Invasion Be Transformed into a Gain? *Marine Drugs*, 14(11), Article 210. <https://doi.org/10.3390/md14110210>

2017

- Asnaghi, V., Pecorino, D., Ottaviani, E., Pedroncini, A., Bertolotto, R. M., & Chiantorea, M. (2017). A novel application of an adaptable modeling approach to the management of toxic microalgal bloom events in coastal areas. *Harmful Algae*, 63, 184–192. <https://doi.org/10.1016/j.hal.2017.02.003>
- Bargain, A., Marchese, F., Savini, A., Taviani, M., & Fabri, M.-C. (2017). Santa Maria di Leuca Province (Mediterranean Sea): Identification of suitable mounds for cold-water coral settlement using geomorphometric proxies and Maxent methods. *Frontiers in Marine Science*, 4, Article 338. <https://doi.org/10.3389/fmars.2017.00338>
- Bevilacqua, S., Ugland, K. I., Plicanti, A., Scuderi, D., & Terlizzi, A. (2017). An approach based on the total-species accumulation curve and higher taxon richness to estimate realistic upper limits in regional species richness. *Ecology and Evolution*, 7, 1–11. <https://doi.org/10.1002/ece3.3570>

- Bosch-Belmar, M., Milisenda, G., Giron, A., Taurisano, V., Accoroni, S., Totti, C., Piraino, S., & Fuentes, V. (2017). Consequences of stinging plankton blooms on finfish mariculture in the Mediterranean Sea. *Frontiers in Marine Science*, 4, Article 240. <https://doi.org/10.3389/fmars.2017.00240>
- Cianelli, D., D'Alelio, D., Uttieri, M., Sarno, D., Zingone, A., Zambianchi, E., & Ribera d'Alcalà, M. (2017). Disentangling physical and biological drivers of phytoplankton dynamics in a coastal system. *Scientific Reports*, 7, Article 15868. <https://doi.org/10.1038/s41598-017-15880-x>
- Cerrone, D., Fusco, G., Simmonds, I., Aulicino, G., & Budillon, G. (2017). Dominant covarying climate signals in the Southern Ocean and Antarctic sea ice influence during the last three decades. *Journal of Climate*, 30, 3055–3072. <https://doi.org/10.1175/JCLI-D-16-0439.1>
- Felling, S., Mollo, E., Cutignano, A., Grauso, L., Andaloro, F., Castriota, L., Consoli, P., Falautano, M., Sinopoli, M., & Terlizzi, A. (2017). Preliminary observations of caulerpin accumulation from the invasive *Caulerpa cylindracea* in native Mediterranean fish species. *Aquatic Biology*, 26, 27–31. <https://doi.org/10.3354/ab00671>
- Orlandi, L., Calizza, E., Careddu, G., Carlino, P., Costantini, M. L., & Rossi, L. (2017). The effects of nitrogen pollutants on the isotopic signal ($\delta^{15}\text{N}$) of *Ulva lactuca*: Microcosm experiments. *Marine Pollution Bulletin*, 115(1–2), 429–435. <https://doi.org/10.1016/j.marpolbul.2016.12.051>
- Stabili, L., Pizzolante, G., Morgante, A., Nonnis Marzano, C., Longo, C., Aresta, A. M., Zambonin, C., Corriero, G., & Alifano, P. (2017). Lindane bioremediation capability of bacteria associated with the demosponge *Hymeniacidon perlevis*. *Marine Drugs*, 15(4), Article 108. <https://doi.org/10.3390/md15040108>

2018

- Bevilacqua, S., Guarnieri, G., Farella, G., Terlizzi, A., & Frascchetti, S. (2018). A regional assessment of cumulative impact mapping on Mediterranean coralligenous outcrops. *Scientific Reports*, 8, Article 1757. <https://doi.org/10.1038/s41598-018-20297-1>
- Carlucci, R., Cipriano, G., Paoli, C., Ricci, P., Fanizza, C., Capezzuto, F., & Vassallo, P. (2018). Random Forest population modelling of striped and common-bottlenose dolphins in the Gulf of Taranto (Northern Ionian Sea, Central-eastern Mediterranean Sea). *Estuarine, Coastal and Shelf Science*, 204, 177–192. <https://doi.org/10.1016/j.ecss.2018.02.034>
- Carlucci, R., Bandelj, V., Ricci, P., Capezzuto, F., Sion, L., Maiorano, P., Tursi, A., Solidoro, C., & Libralato, S. (2018). Exploring spatio-temporal changes in the demersal and benthopelagic assemblages of the north-western Ionian Sea (central Mediterranean Sea). *Marine Ecology Progress Series*, 598, 1–19. <https://doi.org/10.3354/meps12613>
- Cerrone, D., & Fusco, G. (2018). Low-frequency climate modes and Antarctic sea ice variations, 1982–2013. *Journal of Climate*, 31, 147–175. <https://doi.org/10.1175/JCLI-D-17-0184.1>
- Enrichetti, F., Bavestrello, G., Coppari, M., Betti, F., & Bo, M. (2018). *Placogorgia coronata* first documented record in Italian waters: Use of trawl bycatch to unveil vulnerable deep-sea ecosystems. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 28(5), 1123–1138. <https://doi.org/10.1002/aqc.2930>

- Falace, A., Tamburello, L., Guarnieri, G., Kaleb, S., Papa, L., & Frascchetti, S. (2018). Effects of a glyphosate-based herbicide on *Fucus virsoides* (Fucales, Ochrophyta) photosynthetic efficiency. *Environmental Pollution*, 243, 1–7. <https://doi.org/10.1016/j.envpol.2018.08.053>
- Milisenda, G., Rossi, S., Vizzini, S., Fuentes, V. L., Purcell, J. E., Tilves, U., & Piraino, S. (2018). Seasonal variability of diet and trophic level of the gelatinous predator *Pelagia noctiluca* (Scyphozoa). *Scientific Reports*, 8, Article 12140. <https://doi.org/10.1038/s41598-018-30474-x>

2019

- Basso, L., Rizzo, L., Marzano, M., Intranuovo, M., Fosso, B., Pesole, G., Piraino, S., & Stabili, L. (2019). Jellyfish summer outbreaks as bacterial vectors and potential hazards for marine animals and humans health? The case of *Rhizostoma pulmo* (Scyphozoa, Cnidaria). *Science of the Total Environment*, 692, 305–318. <https://doi.org/10.1016/j.scitotenv.2019.07.155>
- Boero, F., De Leo, F., Frascchetti, S., & Ingrosso, G. (2019). The Cells of Ecosystem Functioning: Towards a holistic vision of marine space. *Advances in Marine Biology*, 82, 129–152. <https://doi.org/10.1016/bs.amb.2019.03.001>
- Bosch-Belmar, M., Escuriola, A., Milisenda, G., Fuentes, V. L., & Piraino, S. (2019). Harmful fouling communities on fish farms in the SW Mediterranean Sea: Composition, growth and reproductive periods. *Journal of Marine Science and Engineering*, 7(9), Articolo 288. <https://doi.org/10.3390/jmse7090288>
- Buonocore, E., Picone, F., Donnarumma, L., Russo, G. F., & Franzese, P. P. (2019). Modeling matter and energy flows in marine ecosystems using emergy and eco-exergy methods to account for natural capital value. *Ecological Modelling*, 392, 137–146. <https://doi.org/10.1016/j.ecolmodel.2018.11.018>
- Calizza, E., Rossi, L., Careddu, G., Sporta Caputi, S., & Costantini, M. L. (2019). Species richness and vulnerability to disturbance propagation in real food webs. *Scientific Reports*, 9, Article 19331. <https://doi.org/10.1038/s41598-019-55960-8>
- Chimienti, G., Mastrototaro, F., & D'Onghia, G. (2019). Mesophotic and deep-sea vulnerable coral habitats of the Mediterranean Sea: overview and conservation perspectives. *IntechOpen Book Chapter*, 1–15.
- Corriero, G., Pierri, C., Mercurio, M., Nonnis Marzano, C., Onen Tarantini, S., Gravina, M. F., Lisco, S., Moretti, M., De Giosa, F., Valenzano, E., Giangrande, A., Mastrodonato, M., Longo, C., & Cardone, F. (2019). A Mediterranean mesophotic coral reef built by non-symbiotic scleractinians. *Scientific Reports*, 9, Article 3601. <https://doi.org/10.1038/s41598-019-40284-4>